



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/573,682

09/18/2006

David Paul Manson

M04B132

7131

71134

7590

09/30/2009

Edwards Vacuum, Inc.

2041 MISSION COLLEGE BOULEVARD

SUITE 260

SANTA CLARA, CA 95054

EXAMINER

LETTMAN, BRYAN MATTHEW

ART UNIT

PAPER NUMBER

3746

MAIL DATE

DELIVERY MODE

09/30/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/573,682	MANSON ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Bryan Lettman	3746	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 23 March 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 March 2006 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>20060323</u> .  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Drawings***

The drawings are objected to because ports (2) should be labeled in Fig. 10. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet” pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Art Unit: 3746

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

**Claims 1, 12, 13, 17 and 20 are rejected under 35 U.S.C. 102(e) as being anticipated by PCT Publication WO2004/005720 to Stellnert.**

Referring to claim 1, Stellnert discloses a method of pumping comprising the steps of:

monitoring the performance of a pump (1) (page 4, lines 18-20);

receiving process data from, or associated with, a tool being evacuated by the pump (1) (page 4, lines 18-25);

calculating fluid flow characteristics required to compensate for the accumulation of deposits on the internal working surfaces of the pump (1) based on the monitored performance and the process data (page 5, lines 1-12); and

introducing fluid into the pumping mechanism in accordance with the calculated characteristics (page 5, lines 14-28; page 8, lines 10-13).

Referring to claim 12, Stellnert further discloses a method of pumping comprising the steps wherein:

the fluid flow characteristics are temperature (page 11, lines 19-23).

Referring to claim 13, Stellnert further discloses a method of pumping comprising the steps wherein:

the fluid is introduced during normal operation of the pump (1) (page 4, lines 11-15).

Referring to claim 17, Stellnert discloses a pump comprising:

Art Unit: 3746

a vacuum pump (1) having a rotor element (18, 19) and a stator element (14a),  
and at least one fluid port (22);

means for monitoring the performance of the pump (1) (page 4, lines 18-20);

means for receiving process data from, or associated with, a tool adapted to be  
evacuated by the pump (1) (page 4, lines 18-25);

means for calculating fluid flow characteristics required to compensate for the  
accumulation of deposits on the internal working surfaces of the pump (1) based on the  
monitored performance and the process data (page 5, lines 1-12); and

means for introducing into the pump (1) via the at least one port (22) and in  
accordance with the calculated characteristics, fluid for acting on deposits located on  
the element surfaces to enable the deposits to be removed therefrom (page 5, lines 14-  
28; page 8, lines 10-13).

Referring to claim 20, Stellnert further discloses a method of pumping wherein:

the monitoring step comprises recording motor current of the pump (1) (page 11,  
lines 7-8, wherein the power consumption is directly related to the current).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all  
obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 3746

**Claims 2, 3, 7 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over PCT Publication WO2004/005720 to Stellnert in view of U. S. Patent Publication 2002/0034880 to Sakai.**

Referring to claims 2 and 3, Stellnert teaches all the limitations of claim 1, as detailed above, but does not teach a halogen or fluorinated fluid. Sakai teaches a method wherein:

a fluid comprises a fluorinated gas which is a halogen (paragraph [0084], lines 18-21).

It would be obvious to one of skill in the art, at the time of invention, to modify the pumping method taught by Stellnert with the gas taught by Sakai in order to provide a fluid with properties advantageous to the capture of loose particles (Sakai paragraph [0084]).

Referring to claims 7 and 18, Stellnert and Sakai teach all the limitations of claim 2, as detailed above, and Stellnert further teaches a method wherein:

a second fluid is also introduced to the pump (1), this second fluid being inert purge gas (page 14, lines 24-28); and

the second fluid is introduced after injection of the first fluid has terminated (page 14, lines 24-28).

**Claims 4, 5, 6, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over PCT Publication WO2004/005720 to Stellnert in view of U. S. Patent 5,718,565 to Kuhn.**

Art Unit: 3746

Referring to claims 4, 5 and 6, Stellnert teaches all the limitations of claim 1, as detailed above, but does not teach an inert purge gas. Kuhn teaches a method wherein:

a fluid comprises inert purge gas (col. 2, lines 50-54) at an elevated pressure.

It would be obvious to one of skill in the art, at the time of invention, to modify the pumping method taught by Stellnert with the gas taught by Kuhn in order to provide a fluid which will not react with the pump components or entrained debris. Furthermore a purge gas is inherently at an elevated pressure, commonly at a pressure slightly above atmospheric pressure, such as of 2000 mbar, as it would not otherwise be capable of displacing the volume to be purged.

Referring to claim 16, Stellnert teaches all the limitations of claim 1, as detailed above, but does not teach measuring the pressure at the exhaust. Kuhn teaches a method wherein:

the monitoring step comprises recording pressure at the exhaust of the pump (col. 3, lines 47-52).

**Claims 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over PCT Publication WO2004/005720 to Stellnert in view of U. S. Patent Publication 2002/0034880 to Sakai and U. S. Patent 6,224,326 to Puech.**

Referring to claim 8, Stellnert and Sakai teach all the limitations of claim 7, as detailed above, but do not teach the introduction of gas at different locations. Puech teaches a method wherein:

fluids are introduced at different locations in the pump (col. 4 lines 27-30).

It would be obvious to one of skill in the art, at the time of invention, to modify the pumping method taught by Stellnert with the gas passages taught by Puech in order to provide a means for concurrently cleaning multiples stages.

Referring to claim 9, Stellnert, Sakai and Puech teach all the limitations of claim 7, as detailed above, and Stellnert further teaches a method wherein:

the first fluid is directed to the internal working surfaces of the pump (1) (shown in Fig. 2, page 6, lines 27-29).

**Claims 10 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over PCT Publication WO2004/005720 to Stellnert in view of U. S. Patent Publication 2002/0034880 to Sakai, U. S. Patent 6,224,326 to Puech and U. S. Patent 5,718,565 to Kuhn.**

Stellnert, Sakai and Puech teach all the limitations of claims 8 and 9, as detailed above, but do not teach directing a fluid to the seal. Kuhn teaches a method wherein:

a fluid is directed towards sealing components (15) of a pump (1) (col. 2, lines 50-54).

It would be obvious to one of skill in the art, at the time of invention, to modify the pumping method taught by Stellnert with the seal taught by Kuhn in order to provide a means for cleaning the seal.

**Claims 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over PCT Publication WO2004/005720 to Stellnert in view of U. S. Patent 4,995,794 to Wycliffe.**



Art Unit: 3746

Stellnert teaches all the limitations of claims 1 and 13, as detailed above, but does not teach the introduction of gas through the exhaust section of the pump.

Wycliffe teaches a method of pumping wherein:

a fluid is introduced into an exhaust section (8) of a pump (shown in Figure wherein gas is introduced through 15); and

the fluid is introduced when the pump is off line (col. 12-15 wherein the pump goes offline when the valve 7 is closed).

It would be obvious to one of skill in the art, at the time of invention, to modify the pumping method taught by Stellnert with the flow path taught by Wycliffe in order to prevent the build up of evacuated gas in the discharge conduit (Wycliffe col. 4, lines 54-61).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryan Lettman whose telephone number is (571) 270-7860. The examiner can normally be reached on Monday - Thursday between 9:00 am and 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Devon Kramer can be reached on (571) 272-7118. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3746

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/B. L./  
Examiner, Art Unit 3746

/Devon C Kramer/  
Supervisory Patent Examiner, Art  
Unit 3746